









ADVANCED LOUDSPEAKERS

DIPOLE 140-15D

DIPOLE TRUE RIBBON DRIVER


BACK TO THE ROOTS...140-15D GOES OPEN BACK, AND THEN SOME! KEEPING ALL THE TECHNOLOGICAL (READ: AUDIBLE) ADVANTAGES, NOW IT BECAME THE THINNEST DIPOLE TRUE RIBBON IN THE INDUSTRY. THIS IS AN ESSENTIAL FEATURE AS THERE AREN'T ANY DEEP SLOTS OR SHORT HORNS CREATED BY BULKY MAGNETS IN THE VICINITY OF THE RIBBON ELEMENT, TO INCREASE IT'S AIR LOADING MASS AND COMPROMISE LINEARITY, HENCE, ACCELERATION AND LINEARITY ARE PRESERVED. TOTALLY SYMMETRICAL FRONT AND BACK OPENINGS PROVIDE IDENTICAL RIBBON LOADING, IDENTICAL RESPONSE AND IDENTICAL DISPERSION PATTERNS FRONT AND BACK, THERE LIES THE GREATEST ADVANTAGE, UNHEARD OF IN ANY DIPOLE SPEAKER DESIGN TO DATE: ONCE THE SYMMETRY HAS BEEN ACHIEVED BY IT'S PHYSICAL DESIGN, USING RAAL'S PROPRIETARY FOAM DEFLECTOR PADS, YOU CAN ADJUST FOR DIFFERENT AND INDEPENDENT DISPERSION PATTERNS FRONT AND BACK, THIS WILL ALLOW YOU TO CREATE AMAZING DEPTH OF STEREO IMAGE, DEPENDING ON WHICH PATTERN IN THE FRONT AND WHICH PATTERN IN THE BACK IS BEST FOR YOUR LISTENING ROOM ACOUSTICS. FOR THE FIRST TIME, YOU DON'T NEED ELECTRONICS TO ADJUST FRONT AND BACK LEVELS, IT'S ALL VERY EASY AND VERY NATURAL NOW.


RAAL ADVANCED LOUDSPEAKERS D.O.O. DJORDJA SIMEONOVICA 4, 19000 ZAJECAR, SERBIA


TEL: +381 64 144 1111 FAX: +381 19 440 336 WWW.RAALRIBBON.COM

RAAL

DIPOLE 140-15D DIPOLE TRUE RIBBON DRIVER









IMPEDANCE

IMPULSE RESPONSE

CUMULATIVE SPECTRAL DECAY





FREQUENCY RESPONSE ON AXIS

FREQUENCY RESPONSE WITHOUT DEFLECTOR PADS

SPECIFICATIONS:

RIBBON MATERIAL RIBBON DIMENSIONS RIBBON MASS RIBBON AREA GAP INDUCTION FREQ. RESPONSE SENSITIVITY IMPEDANCE TRANSFORMER PRIMARY INDUCTANCE


ALUMINIUM 140 x 15 x 0.005 мм 0.027 G 21 CM SQ. 0.5 T 2KHZ ~ 60KHZ 930B/1W/1M В Онм 2 MH PROGRAM POWER HANDLING @ 2.5k L-R 4TH ORDER 150 W

RAAL

DIPOLE 140-15D

DIPOLE TRUE RIBBON DRIVER

MECHANICAL DRAWING



0

TOP VIEW

SOLDERING POINT TERMINALS

WEIGHT: ~4.2 KG

ALL DIM. TOLERANCE: 0.3 MM